



12V-1.0A-1 Output

Size:70*40*30mm Weight:0.069kg



12V-2.0A-1 Output

Size:85*58*32mm Weight:0.112kg



12V-5.0A-1 Output (Small Volume)

Size:70*40*30mm Weight:0.069kg



12V-5.0A-2 Output

Size:159*97*42mm Weight:0.306kg



12V-10A-2 Output

Size:199*97*42mm Weight:0.45kg



12V-15A-2 Output

Size:199*97*42mm Weight:0.508kg



12V-10A-2 Output

Size:199*97*42mm Weight:0.45kg



12V-20A-3 Output

Size:199*97*42mm Weight:0.609kg



12V-30A-3 Output (Temperature Control)
Size:215*113*50mm Weight:0.773kg



12V-30A-3 Output (Room Temperature)
Size:215*113*50mm Weight:0.755kg



12V-40A-3 Output
Size:215*113*50mm Weight:0.774kg



12V-50A-3 Output
Size:240*125*65mm Weight:1.091kg



24V-1A-1 Output
Size:85*58*32mm Weight:0.116kg



24V-2A-1 Output
Size:85*58*32mm Weight:0.2kg



24V-5A-2 Output
Size:199*97*42mm Weight:0.454kg



24V-8.3A-2 Output
Size:199*97*42mm Weight:0.55kg



24V-10A-3 Output (Mesh)

Size:199*110*50mm Weight:0.611kg



24V-15A-3 Output

Size:215*113*50mm Weight:0.765kg




24V-20A-3 Output

Size:215*113*50mm Weight:0.774kg




12V-5A-4 Output

Size:160*160*45mm Weight:0.71kg




12V-5A-9 Output

Size:235*207*52mm Weight:1.4kg



12V-10A-9 Output

Size:235*207*52mm Weight:1.5kg



12V-15A-9 Output

Size:235*207*52mm Weight:1.55kg



12V-10A-18 Output

Size:315*206*53mm Weight:1.95kg



12V-15A-18 Output
Size:315*206*53mm Weight:2.00kg



12V-20A-18 Output (Mesh)
Size:315*215*60mm Weight:2.1kg



12V-20A-18 Output (Fan)
Size:315*215*60mm Weight:2.15kg



12V-30A-18 Output
Size:315*215*60mm Weight:2.25kg



12V-40A-18 Output
Size:315*215*60mm Weight:2.25kg



12V-5A-9 Output (Enhanced Version)
Size:235*207*52mm Weight:1.53kg



12V-10A-9 Output (Enhanced Version)
Size:235*207*52mm Weight:1.65kg



12V-15A-9 Output (Enhanced Version)
Size:235*207*52mm Weight:1.711kg



12V-20A-18 Output (Enhanced Version)(Mesh)
Size:315*215*60mm Weight:2.2kg



12V-20A-18 Output (Enhanced Version)(Fan)
Size:315*215*60mm Weight:2.25kg



12V-30A-18 Output (Enhanced Version)
Size:315*215*60mm Weight:2.35kg



12V-40A-18 Output (Enhanced Version)
Size:315*215*60mm Weight:2.35kg



24V-5A-9 Output
Size:235*207*52mm Weight:1.54kg



24V-10A-18 Output
Size:315*215*60mm Weight:2.1kg



24V-15A-18 Output
Size:315*215*60mm Weight:2.25kg



24V-20A-18 Output
Size:315*215*60mm Weight:2.25kg



12V-5.0A-4 Output
Size:230*186*72mm Weight:1.2kg



12V-10.0A-9 Output
Size:270*206*82mm Weight:1.65kg



12V-15.0A-9 Output
Size:270*206*82mm Weight:1.7kg



12V-15.0A-18 Output
Size:315*215*60mm Weight:2.35kg



12V-20.0A-18 Output
Size:333*242*78mm Weight:2.7kg



12-5.0A Medium Power Supply for Access Control
Size:273*232*65mm Weight:2.2kg



12V-5.0A Large Size Access Power Supply
Size:372*266*67mm Weight:3.8kg



12V-10.0A
Size:272*232*65mm Weight:1.85kg



12V-3.0A-5.0A

Size:183*87*59mm Weight:1.3kg



12V-5.0A

Size:172*72*40mm Weight:0.25kg



BLD-12021 12V-2.0A

Size:90*53*36mm Weight:0.112kg



BLD-12017 12V-2.0A

Size:99*50*32mm Weight:0.106kg



BLD-1205 12V-2.0A

Size:77*48*30mm Weight:0.108kg



BLD-12022 12V-2.0A

Size:116*85*42mm Weight:0.164kg



BLD-12023 12V-2.0A

Size:147*105*44mm Weight:0.228kg



BLD-12033 12V-3.0A

Size:147*105*44mm Weight:0.248kg