


Floor Dryer Blower

Professional HVAC Fan & Motors Manufacturer



Type Code

LW F - 1000 - 01 A



LWF-1300/3200 Series



Product Characteristic

- Exquisite,compact design,beautiful,safe and durable
- Front-mounted handle, lightweight and convenient for mobility
- Scientific design, easy and user-friendly operation
- Configure the size of the foot pad to adjust the wind direction angle to meet different environmental needs
- Motor net cover, prevent motor from sucking in debris
- Removable air deflector to meet various working requirements and increase work efficiency
- High wind power,low noise,suitable for various cleaning industries such as homes,offices,hotels,and shopping malls



Model	Voltage (V)	Frequency (Hz)	Power (W)	Wind Speed (m/s)	Speed (r/min)	Noise dB(A)
LWF-1300-01B	220	50	1000~1300	25	1480	79
LWF-1300-02B	220	50	1000~1300	25	1480	79
LWF-3200-01B	220	50	3200	25	1480	80

LWF-300 Series



Product Characteristic

- Exquisite,compact design,beautiful,safe and durable
- Front-mounted handle, lightweight and convenient for mobility
- Scientific design, easy and user-friendly operation
- Configure the size of the foot pad to adjust the wind direction angle to meet different environmental needs
- Motor net cover, prevent motor from sucking in debris
- Removable air deflector to meet various working requirements and increase work efficiency
- High wind power,low noise,suitable for various cleaning industries such as homes,offices,hotels,and shopping malls



Technical Specifications

Model	LWF-300-01A	Wind Speed	13m/s
Rated Voltage	220V	Air Volume	17m³/s
Rated Power	300W	Speed	1280r/min
Rated Frequency	50Hz	Noise	62dB(A)

LWF-1100 Series

Product Characteristic

- Colour Customized
- It keeps high air volume with low AMP draw.lightweight with easv carry handle and functional cord wrap
- With high quality material,it is made to ensure satisfying and use
- The blower is very versatile in making the carpert drying for floor and carpet drying,inflatables,water restoration,janitorial needs



Technical Specifications

Model	LWF-1100-01B	Switch	3
Rated Voltage	220V	Net Weight	/
Rated Power	1100W	Gross Weight	/
Rated Frequency	50Hz	Product Size	50×46×50CM
EL Cable	/	Package Size	52×48×52CM

LWF-100 Series

Product Characteristic

- Colour Customized
- It keeps high air volume with low AMP draw.lightweight with easv carry handle and functional cord wrap
- With high quality material,it is made to ensure satisfying and use
- The blower is very versatile in making the carpert drying for floor and carpet drying,inflatables,water restoration,janitorial needs



Technical Specifications

Model	LWF-100-01A	Switch	1
Rated Voltage	220V	Net Weight	3.5KGS
Rated Power	100W	Gross Weight	4KGS
Rated Frequency	50Hz	Product Size	29×22×30CM
EL Cable	3M	Package Size	30×23×32CM

LWF-300 Series

Product Characteristic

- Colour Customized
- It keeps high air volume with low AMP draw.lightweight with easv carry handle and functional cord wrap
- With high quality material,it is made to ensure satisfying and use
- The blower is very versatile in making the carpert drying for floor and carpet drying,inflatables,water restoration,janitorial needs



Technical Specifications

Model	LWF-300-02A	Switch	3
Rated Voltage	220V	Net Weight	5KGS
Rated Power	300W	Gross Weight	5.5KGS
Rated Frequency	50Hz	Product Size	32×33×34CM
EL Cable	3M	Package Size	33×34×36CM

LWF-1000 Series

Product Characteristic

- Colour Customized
- It keeps high air volume with low AMP draw.lightweight with easv carry handle and functional cord wrap
- With high quality material,it is made to ensure satisfying and use
- The blower is very versatile in making the carpert drying for floor and carpet drying,inflatables,water restoration,janitorial needs



Technical Specifications

Model	LWF-1000-02A	Switch	3
Rated Voltage	220V	Net Weight	10KGS
Rated Power	1000W	Gross Weight	11KGS
Rated Frequency	50Hz	Product Size	47×42×47CM
EL Cable	4M	Package Size	49×48×50CM

LWF-1000 Series

Product Characteristic

- Colour Customized
- It keeps high air volume with low AMP draw.lightweight with easv carry handle and functional cord wrap
- With high quality material,it is made to ensure satisfying and use
- The blower is very versatile in making the carpert drying for floor and carpet drying,inflatables,water restoration,janitorial needs



Technical Specifications

Model	LWF-1000-03A	Switch	3
Rated Voltage	220V	Net Weight	9.15KGS
Rated Power	1000W	Gross Weight	10.75KGS
Rated Frequency	50Hz	Product Size	40.5×45.5×45CM
EL Cable	4M	Package Size	49×48×49CM

LWF-3200 Series

Product Characteristic

- Colour Customized
- It keeps high air volume with low AMP draw.lightweight with easv carry handle and functional cord wrap
- With high quality material,it is made to ensure satisfying and use
- The blower is very versatile in making the carpert drying for floor and carpet drying,inflatables,water restoration,janitorial needs



Technical Specifications

Model	LWF-3200-02B	Switch	6
Rated Voltage	220V	Net Weight	15KGS
Rated Power	3200W	Gross Weight	16KGS
Rated Frequency	50Hz	Product Size	43×43.5×48CM
EL Cable	5M	Package Size	45×45×50CM

LWF-1000 Series

Product Characteristic

- Colour Customized
- It keeps high air volume with low AMP draw.lightweight with easv carry handle and functional cord wrap
- With high quality material,it is made to ensure satisfying and use
- The blower is very versatile in making the carpert drying for floor and carpet drying,inflatables,water restoration,janitorial needs



Technical Specifications

Model	LWF-1000-04B	Switch	3
Rated Voltage	220V	Net Weight	10.5KGS
Rated Power	1000W	Gross Weight	11.5KGS
Rated Frequency	50Hz	Product Size	47×42×47CM
EL Cable	4M	Package Size	59×48×50CM

Handheld Blower

Technical Specifications

Model	LWHB-01
Voltage	21V
Gross Weight	2.8KG
Power	450W
Battery	10 Section 5C4000HA
No-load Speed	28000r/min
Selling Point	Large output air volume
Package Size	40×21.5×24CM



Handheld Blower

Technical Specifications

Blower Model	LWHB-02
Voltage	21V
No-load Speed	0-15000r/min
Air Flow Rate	0-3.6m³/min
Battery Capacity	3.0Ah
Charge Tim	3H

